

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2001722-0  
**Report Reference** E508068-20200819  
**Date** 28-Aug-2020

**Issued to:** Lumen Warm Inc  
2022 Rue Lavoisier, Local 208 Quebec , QC,  
Canada G1N 4L5

**This is to certify that representative samples of** IFDR - Low-voltage Lighting Systems, Power Units, Luminaires and Fittings  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 2108, 2nd Ed., Issue Date: 2015-12-07, Revision Date: 2019-12-06

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2001722-0  
**Report Reference** E508068-20200819  
**Date** 28-Aug-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
1201 (Bogota) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
1202 (Bogota) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
1203 (Bogota) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
Alina G5 XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
Zoombar Alina (15) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
Zoombar Alina (30) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2001158-0  
**Report Reference** E508068-20200819  
**Date** 28-Aug-2020

**Issued to:** Lumen Warm Inc  
2022 Rue Lavoisier, Local 208 Quebec , QC,  
Canada G1N 4L5

**This is to certify that representative samples of** IFDR7 - Low-voltage Lighting Systems, Power Units, Luminaires and Fittings Certified for Canada  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** CSA C22.2 NO. 250.0-18, 4th Ed., Issue Date: 2018-08-28

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>






# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2001158-0  
**Report Reference** E508068-20200819  
**Date** 28-Aug-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
1201 (Bogota) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
1202 (Bogota) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
1203 (Bogota) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
Alina G5 XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
Zoombar Alina (15) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems
Zoombar Alina (30) XX, XX is Led Temperature color should be 2500 K to 5000 K	Low Voltage Lighting Systems



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

