

Zoombar

Beam angle adjustable lighting fixtures

LUMEN
WARM

The Zoombar is a family of fixtures with a field adjustable beam angle that includes spotlights, downlights and suspensions in a cylindrical shape available in two different sizes.

The 10-60° beam focus lens can easily be adjusted on the field by pushing or pulling the snoot of the fixture to create the ideal lighting effect.



Zoombar

Track Light

The **Zoombar track light** can be mounted to any type of track lighting system. It is even compatible with our **Alina** low voltage track.

The track light offers a 350° rotation and a 90° horizontal vertical adjustability.



LUMEN
WARM

Zoombar

Recessed

The **Zoombar** recessed downlight is a discreet option that lets you choose between accent and general lighting.

The recessed glare free light source makes it one of our most versatile downlight that suits pretty much **any type of project.**



LUMEN
WARM

Zoombar

Suspended

The Zoombar contains an **integral driver** making the installation a breeze.

It also offers up to **2000lm out of a 3 inches aperture**, effectively making it a discreet yet powerful lighting element.



LUMEN
WARM

Zoombar


track light

IP20
RATED



Field adjustable beam angle | Available in 2.25" and 3" sizes | High quality components | Precision optics

Beam angle adjustability




Installation

Type H track
Many other options available

Application

Flexible lighting
Accent lighting
General lighting



Matte White



Matte Black



Custom



LUMEN
WARM

Build your Zoombar

Zoombar


downlight

IP20
RATED



Field adjustable beam angle | Available in 3.75" and 4.25" sizes | High quality components | Precision optics

Beam angle adjustability




Installation

New construction non-IC
New construction IC
Remodel non-IC

Application

Flexible lighting
Accent lighting
General lighting



Matte White



Matte Black



Custom

The entire Zoombar family has a field adjustable beam angle. It can be adjusted by pulling and pushing the snoot out or into the luminaire. Discreet markings on the side of the snoot are present to help select wanted beam.

LUMEN
WARM

Build your Zoombar



Zoombar


suspended

IP20
RATED



Field adjustable beam angle | Available in 2.25" and 3" sizes | High quality components | Precision optics

Beam angle adjustability




Installation

Suspended with integral driver
Selection of cable colours

Application

Flexible lighting
Accent lighting
General lighting



Matte White



Matte Black



Custom



LUMEN
WARM

Build your Zoombar

Configure

your ideal lighting solution now!

LUMEN
WARM

Learn more

about Zoombar *and our other products*

Contact

your local sales representative

LUMEN WARM 2022 Rue Lavoisier local 208, Quebec, QC G1N 4L5
+1 866 586.3692 info@lumenwarm.com lumenwarm.com