

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

120lm/ft

Average Length	Wattage	Average Length	Wattage
10.62" 269.54mm	0.75	79.50" 2021.50mm	6
13.08" 332.11mm	0.94	81.96" 2084.07mm	6.19
15.54" 394.68mm	1.12	84.42" 2146.64mm	6.37
18" 457.25mm	1.31	86.88" 2209.21mm	6.56
20.46" 519.82mm	1.50	89.34" 2271.78mm	6.75
22.92" 582.39mm	1.69	91.80" 2334.35mm	6.94
25.38" 644.96mm	1.87	94.26" 2396.92mm	7.12
27.84" 707.53mm	2.06	96.72" 2459.49mm	7.31
30.30" 770.10mm	2.25	99.18" 2522.06mm	7.50
32.76" 832.67mm	2.44	101.64" 2584.63mm	7.69
35.22" 895.24mm	2.62	104.10" 2647.20mm	7.87
37.68" 957.81mm	2.81	106.56" 2709.77mm	8.06
40.14" 1020.38mm	3	109.02" 2772.34mm	8.25
42.60" 1082.95mm	3.19	111.48" 2834.91mm	8.43
45.06" 1145.52mm	3.37	113.94" 2897.48mm	8.62
47.52" 1208.09mm	3.56	116.40" 2960.05mm	8.81
49.98" 1270.66mm	3.75	118.86" 3022.62mm	9
52.44" 1333.23mm	3.94	121.32" 3085.19mm	9.18
54.90" 1395.80mm	4.12	123.78" 3147.76mm	9.37
57.36" 1458.37mm	4.31	126.24" 3210.33mm	9.56
59.82" 1520.94mm	4.50	128.70" 3272.90mm	9.75
62.28" 1583.51mm	4.69	131.16" 3335.47mm	9.93
64.74" 1646.08mm	4.87	133.62" 3398.04mm	10.12
67.20" 1708.65mm	5.06	136.08" 3460.61mm	10.31
69.66" 1771.22mm	5.25	138.54" 3523.18mm	10.50
72.12" 1833.79mm	5.44	141" 3585.75mm	10.68
74.58" 1896.36mm	5.62	143.46" 3648.32mm	10.87
77.04" 1958.93mm	5.81		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

290lm/ft

Average Length	Wattage	Average Length	Wattage
10.62" 269.54mm	2.12	79.50" 2021.50mm	16.99
13.08" 332.11mm	2.66	81.96" 2084.07mm	17.53
15.54" 394.68mm	3.19	84.42" 2146.64mm	18.06
18" 457.25mm	3.72	86.88" 2209.21mm	18.59
20.46" 519.82mm	4.25	89.34" 2271.78mm	19.12
22.92" 582.39mm	4.78	91.80" 2334.35mm	19.65
25.38" 644.96mm	5.31	94.26" 2396.92mm	20.18
27.84" 707.53mm	5.84	96.72" 2459.49mm	20.71
30.30" 770.10mm	6.37	99.18" 2522.06mm	21.24
32.76" 832.67mm	6.90	101.64" 2584.63mm	21.77
35.22" 895.24mm	7.44	104.10" 2647.20mm	22.31
37.68" 957.81mm	7.97	106.56" 2709.77mm	22.84
40.14" 1020.38mm	8.50	109.02" 2772.34mm	23.37
42.60" 1082.95mm	9.03	111.48" 2834.91mm	23.90
45.06" 1145.52mm	9.56	113.94" 2897.48mm	24.43
47.52" 1208.09mm	10.09	116.40" 2960.05mm	24.96
49.98" 1270.66mm	10.62	118.86" 3022.62mm	25.49
52.44" 1333.23mm	11.15	121.32" 3085.19mm	26.02
54.90" 1395.80mm	11.68	123.78" 3147.76mm	26.55
57.36" 1458.37mm	12.22	126.24" 3210.33mm	27.09
59.82" 1520.94mm	12.75	128.70" 3272.90mm	27.62
62.28" 1583.51mm	13.28	131.16" 3335.47mm	28.15
64.74" 1646.08mm	13.81	133.62" 3398.04mm	28.68
67.20" 1708.65mm	14.34	136.08" 3460.61mm	29.21
69.66" 1771.22mm	14.87	138.54" 3523.18mm	29.74
72.12" 1833.79mm	15.40	141" 3585.75mm	30.27
74.58" 1896.36mm	15.93	143.46" 3648.32mm	30.80
77.04" 1958.93mm	16.46		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

420lm/ft

Average Length	Wattage	Average Length	Wattage
10.62" 269.54mm	2.88	79.50" 2021.50mm	23.03
13.08" 332.11mm	3.60	81.96" 2084.07mm	23.75
15.54" 394.68mm	4.32	84.42" 2146.64mm	24.47
18" 457.25mm	5.04	86.88" 2209.21mm	25.19
20.46" 519.82mm	5.76	89.34" 2271.78mm	25.91
22.92" 582.39mm	6.48	91.80" 2334.35mm	26.63
25.38" 644.96mm	7.20	94.26" 2396.92mm	27.35
27.84" 707.53mm	7.92	96.72" 2459.49mm	28.07
30.30" 770.10mm	8.64	99.18" 2522.06mm	28.79
32.76" 832.67mm	9.36	101.64" 2584.63mm	29.51
35.22" 895.24mm	10.08	104.10" 2647.20mm	30.23
37.68" 957.81mm	10.80	106.56" 2709.77mm	30.95
40.14" 1020.38mm	11.52	109.02" 2772.34mm	31.67
42.60" 1082.95mm	12.24	111.48" 2834.91mm	32.39
45.06" 1145.52mm	12.96	113.94" 2897.48mm	33.11
47.52" 1208.09mm	13.68	116.40" 2960.05mm	33.83
49.98" 1270.66mm	14.40	118.86" 3022.62mm	34.55
52.44" 1333.23mm	15.12	121.32" 3085.19mm	35.27
54.90" 1395.80mm	15.84	123.78" 3147.76mm	35.99
57.36" 1458.37mm	16.55	126.24" 3210.33mm	36.71
59.82" 1520.94mm	17.27	128.70" 3272.90mm	37.43
62.28" 1583.51mm	17.99	131.16" 3335.47mm	38.15
64.74" 1646.08mm	18.71	133.62" 3398.04mm	38.87
67.20" 1708.65mm	19.43	136.08" 3460.61mm	39.59
69.66" 1771.22mm	20.15	138.54" 3523.18mm	40.31
72.12" 1833.79mm	20.87	141" 3585.75mm	41.03
74.58" 1896.36mm	21.59	143.46" 3648.32mm	41.75
77.04" 1958.93mm	22.31		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

700lm/ft – 700lm/ft Black PCB

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
10.63" 269.26mm	4.80	55.94" 1419.26mm	26.90	101.25" 2569.26mm	48.99
12.60" 319.26mm	5.76	57.91" 1469.26mm	27.86	103.22" 2619.26mm	49.96
14.57" 369.26mm	6.72	59.88" 1519.26mm	28.82	105.19" 2669.26mm	50.92
16.54" 419.26mm	7.69	61.85" 1569.26mm	29.78	107.16" 2719.26mm	51.88
18.51" 469.26mm	8.65	63.82" 1619.26mm	30.74	109.13" 2769.26mm	52.84
20.48" 519.26mm	9.61	65.79" 1669.26mm	31.70	111.10" 2819.26mm	53.80
22.45" 569.26mm	10.57	67.76" 1719.26mm	32.66	113.07" 2869.26mm	54.76
24.42" 619.26mm	11.53	69.73" 1769.26mm	33.62	115.04" 2919.26mm	55.72
26.39" 669.26mm	12.49	71.70" 1819.26mm	34.58	117.01" 2969.26mm	56.68
28.36" 719.26mm	13.45	73.67" 1869.26mm	35.55	118.98" 3019.26mm	57.64
30.33" 769.26mm	14.41	75.64" 1919.26mm	36.51	120.95" 3069.26mm	58.60
32.30" 819.26mm	15.37	77.61" 1969.26mm	37.47	122.92" 3119.26mm	59.56
34.27" 869.26mm	16.33	79.58" 2019.26mm	38.43	124.89" 3169.26mm	60.52
36.24" 919.26mm	17.29	81.55" 2069.26mm	39.39	126.86" 3219.26mm	61.48
38.21" 969.26mm	18.25	83.52" 2119.26mm	40.35	128.83" 3269.26mm	62.44
40.18" 1019.26mm	19.21	85.49" 2169.26mm	41.31	130.80" 3319.26mm	63.41
42.15" 1069.26mm	20.17	87.46" 2219.26mm	42.27	132.77" 3369.26mm	64.37
44.12" 1119.26mm	21.14	89.43" 2269.26mm	43.23	134.74" 3419.26mm	65.33
46.09" 1169.26mm	22.10	91.40" 2319.26mm	44.19	136.71" 3469.26mm	66.29
48.06" 1219.26mm	23.06	93.37" 2369.26mm	45.15	138.68" 3519.26mm	67.25
50.03" 1269.26mm	24.02	95.34" 2419.26mm	46.11	140.65" 3569.26mm	68.21
52" 11319.26mm	24.98	97.31" 2469.26mm	47.07	142.62" 3619.26mm	69.17
53.97" 1369.26mm	25.94	99.28" 2519.26mm	48.03		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

900lm/ft

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
12.66" 321.12mm	6.52	27.18" 690.06mm	14.48	41.70" 1059mm	22.45
13.10" 332.30mm	6.76	27.62" 701.24mm	14.72	42.14" 1070.18mm	22.69
13.54" 343.48mm	7	28.06" 712.42mm	14.97	42.58" 1081.36mm	22.93
13.98" 354.66mm	7.24	28.50" 723.60mm	15.21	43.02" 1092.54mm	23.17
14.42" 365.84mm	7.48	28.94" 734.78mm	15.45	43.46" 1103.72mm	23.41
14.86" 377.02mm	7.72	29.38" 745.96mm	15.69	43.90" 1114.90mm	23.66
15.30" 388.20mm	7.97	29.82" 757.14mm	15.93	44.34" 1126.08mm	23.90
15.74" 399.38mm	8.21	30.26" 768.32mm	16.17	44.78" 1137.26mm	24.14
16.18" 410.56mm	8.45	30.70" 779.50mm	16.41	45.22" 1148.44mm	24.38
16.62" 421.74mm	8.69	31.14" 790.68mm	16.66	45.66" 1159.62mm	24.62
17.06" 432.92mm	8.93	31.58" 801.86mm	16.90	46.10" 1170.80mm	24.86
17.50" 444.10mm	9.17	32.02" 813.04mm	17.14	46.54" 1181.98mm	25.10
17.94" 455.28mm	9.41	32.46" 824.22mm	17.38	46.98" 1193.16mm	25.35
18.38" 466.46mm	9.66	32.90" 835.40mm	17.62	47.42" 1204.34mm	25.59
18.82" 477.64mm	9.90	33.34" 846.58mm	17.86	47.86" 1215.52mm	25.83
19.26" 488.82mm	10.14	33.78" 857.76mm	18.10	48.30" 1226.70mm	26.07
19.70" 500mm	10.38	34.22" 868.94mm	18.35	48.74" 1237.88mm	26.31
20.14" 511.18mm	10.62	34.66" 880.12mm	18.59	49.18" 1249.06mm	26.55
20.58" 522.36mm	10.86	35.10" 891.30mm	18.83	49.62" 1260.24mm	26.79
21.02" 533.54mm	11.10	35.54" 902.48mm	19.07	50.06" 1271.42mm	27.04
21.46" 544.72mm	11.35	35.98" 913.66mm	19.31	50.50" 1282.60mm	27.28
21.90" 555.90mm	11.59	36.42" 924.84mm	19.55	50.94" 1293.78mm	27.52
22.11" 567.08mm	11.83	36.86" 936.02mm	19.79	51.38" 1304.96mm	27.76
22.78" 578.26mm	12.07	37.30" 947.20mm	20.04	51.82" 1316.14mm	28
23.22" 589.44mm	12.31	37.74" 958.38mm	20.28	52.26" 1327.32mm	28.24
23.66" 600.62mm	12.55	38.18" 969.56mm	20.52	52.70" 1338.50mm	28.48
24.10" 611.80mm	12.79	38.62" 980.74mm	20.76	53.14" 1349.68mm	28.73
24.54" 622.98mm	13.04	39.06" 991.92mm	21	53.58" 1360.86mm	28.97
24.98" 634.16mm	13.28	39.50" 1003.10mm	21.24	54.02" 1372.04mm	29.21
25.42" 645.34mm	13.52	39.94" 1014.28mm	21.48	54.46" 1383.22mm	29.45
25.86" 656.52mm	13.76	40.38" 1025.46mm	21.73	54.90" 1394.40mm	29.69
26.30" 667.70mm	14	40.82" 1036.64mm	21.97	55.34" 1405.58mm	29.93
26.74" 678.88mm	14.24	41.26" 1047.82mm	22.21	55.78" 1416.76mm	30.17

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

900lm/ft (Cont.)

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
56.22" 1427.94mm	30.42	70.74" 1796.88mm	38.38	85.26" 2165.82mm	46.35
56.66" 1439.12mm	30.66	71.18" 1808.060mm	38.62	85.70" 2177mm	46.59
57.10" 1450.30mm	30.90	71.62" 1819.24mm	38.36	86.14" 2188.18mm	46.83
57.54" 1461.48mm	31.14	72.06" 1830.42mm	39.11	86.58" 2199.36mm	47.07
57.98" 1472.66mm	31.38	72.50" 1841.60mm	39.35	87.02" 2210.54mm	47.31
58.42" 1483.84mm	31.62	72.94" 1852.78mm	39.59	87.46" 2221.72mm	47.55
58.86" 1495.02mm	31.86	73.38" 1863.96mm	39.83	87.90" 2232.90mm	47.80
59.30" 1506.20mm	32.10	73.82" 1875.14mm	40.07	88.34" 2244.08mm	48.04
59.74" 1517.38mm	32.35	74.26" 1886.32mm	40.31	88.78" 2255.26mm	48.28
60.18" 1528.56mm	32.59	74.70" 1897.50mm	40.55	89.22" 2266.44mm	48.52
60.62" 1539.74mm	32.83	75.14" 1908.68mm	40.79	89.66" 2277.62mm	48.76
61.06" 1550.92mm	33.07	75.58" 1919.86mm	41.04	90.10" 2288.80mm	49
61.50" 1562.10mm	33.31	76.02" 1931.04mm	41.28	90.54" 2299.98mm	49.24
61.94" 1573.28mm	33.55	76.46" 1942.22mm	41.52	91.42" 2311.16mm	49.48
62.38" 1584.46mm	33.79	76.90" 1953.40mm	41.76	91.86" 2322.34mm	49.73
62.82" 1595.64mm	34.04	77.34" 1964.58mm	42	92.30" 2333.52mm	49.97
63.26" 1606.82mm	34.28	77.78" 1975.76mm	42.24	92.74" 2344.70mm	50.21
63.70" 1618mm	34.52	78.22" 1986.94mm	42.48	93.18" 2355.88mm	50.45
64.14" 1629.18mm	34.76	78.66" 1998.12mm	42.73	93.62" 2378.24mm	50.93
64.58" 1640.36mm	35	79.10" 2009.30mm	42.97	94.06" 2389.42mm	51.17
65.02" 1651.54mm	35.24	79.54" 2020.48mm	43.21	94.50" 2400.60mm	51.42
65.46" 1662.72mm	35.48	79.98" 2031.66mm	43.45	94.94" 2411.78mm	51.66
65.90" 1673.90mm	35.73	80.42" 2042.84mm	43.69	95.38" 2422.96mm	51.90
66.34" 1685.08mm	35.97	80.86" 2054.02mm	43.93	95.82" 2434.14mm	52.14
66.78" 1696.26mm	36.21	81.30" 2065.20mm	44.17	96.26" 2445.32mm	52.38
67.22" 1707.44mm	36.45	81.74" 2076.38mm	44.42	96.70" 2456.50mm	52.62
67.66" 1718.62mm	36.69	82.18" 2087.56mm	44.66	97.14" 2467.68mm	52.86
68.10" 1729.80mm	36.93	82.62" 2098.74mm	44.90	97.58" 2478.86mm	53.11
68.54" 1740.98mm	37.17	83.06" 2109.92mm	45.14	98.02" 2490.04mm	53.35
68.98" 1752.16mm	37.42	83.50" 2121.10mm	45.38	98.46" 2501.22mm	53.59
69.42" 1763.34mm	37.66	83.94" 2132.28mm	45.62	98.90" 2512.40mm	53.83
69.86" 1774.52mm	37.90	84.38" 2143.46mm	45.86	99.34" 2523.58mm	54.07
70.30" 1785.70mm	38.14	84.82" 2154.64mm	46.11	99.78" 2534.76mm	54.31

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

900lm/ft (Cont.)

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
100.22" 2545.94mm	54.55	114.74" 2914.88mm	62.52	129.26" 3283.82mm	70.49
100.66" 2557.12mm	54.80	115.18" 2926.06mm	62.76	129.70" 3295mm	70.73
101.10" 2568.30mm	55.04	115.62" 2937.24mm	63	130.14" 3306.18mm	70.97
101.54" 2579.48mm	55.28	116.06" 2948.42mm	63.24	130.58" 3317.36mm	71.21
101.98" 2590.66mm	55.52	116.50" 2959.60mm	63.49	131.02" 3328.54mm	71.45
102.42" 2601.84mm	55.76	116.94" 2970.78mm	63.73	131.46" 3339.72mm	71.69
102.86" 2613.02mm	56	117.38" 2981.96mm	63.97	131.90" 3350.90mm	71.93
103.30" 2624.20mm	56.24	117.82" 2993.14mm	64.21	132.34" 3362.08mm	72.18
103.74" 2635.38mm	56.49	118.26" 3004.32mm	64.45	132.78" 3373.26mm	72.42
104.18" 2646.56mm	56.73	118.70" 3015.50mm	64.69	133.22" 3384.44mm	72.66
104.62" 2657.74mm	56.97	119.14" 3026.68mm	64.93	133.66" 3395.62mm	72.90
105.06" 2668.92mm	57.21	119.58" 3037.86mm	65.18	134.10" 3406.80mm	73.14
105.50" 2680.10mm	57.45	120.02" 3049.046mm	65.42	134.54" 3417.98mm	73.38
105.94" 2691.28mm	57.69	120.46" 3060.22mm	65.66	134.98" 3429.16mm	73.62
106.38" 2702.46mm	57.93	120.90" 3071.40mm	65.90	135.42" 3440.34mm	73.87
106.82" 2713.64mm	58.17	121.34" 3082.58mm	66.14	135.86" 3451.52mm	74.11
107.26" 2724.82mm	58.42	121.78" 3093.76mm	66.38	136.30" 3462.70mm	74.35
107.70" 2736mm	58.66	122.22" 3104.94mm	66.62	136.74" 3473.88mm	74.59
108.14" 2747.18mm	58.90	122.66" 3116.12mm	66.86	137.18" 3485.06mm	74.83
108.58" 2758.36mm	59.14	123.10" 3127.30mm	67.11	137.62" 3496.24mm	75.07
109.02" 2769.54mm	59.38	123.54" 3138.48mm	67.35	138.06" 3507.42mm	75.31
109.46" 2780.72mm	59.62	123.98" 3149.66mm	67.59	138.50" 3518.60mm	75.56
109.90" 2791.90mm	59.86	124.42" 3160.84mm	67.83	138.94" 3529.78mm	75.80
110.34" 2803.08mm	60.11	124.86" 3172.02mm	68.07	139.38" 3540.96mm	76.04
110.78" 2814.26mm	60.35	125.30" 3183.20mm	68.31	139.82" 3552.14mm	76.28
111.22" 2825.44mm	60.59	125.74" 3194.38mm	68.55	140.26" 3563.32mm	76.52
111.66" 2836.62mm	60.83	126.18" 3205.56mm	68.80	140.70" 3574.50mm	76.76
112.10" 2847.80mm	61.07	126.62" 3216.74mm	69.04	141.14" 3585.68mm	77
112.54" 2858.98mm	61.31	127.06" 3227.92mm	69.28	141.58" 3596.86mm	77.24
112.98" 2870.16mm	61.55	127.50" 3239.10mm	69.52	142.02" 3608.04mm	77.49
113.42" 2881.34mm	61.80	127.94" 3250.28mm	69.76	142.46" 3619.22mm	77.73
113.86" 2892.52mm	62.04	128.38" 3261.46mm	70	142.90" 3630.40mm	77.97
114.30" 2903.70mm	62.28	128.82" 3272.64mm	70.24	143.34" 3651.58mm	78.21

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

1000lm/ft

Average Length	Wattage	Average Length	Wattage
10.62" 269.25mm	6.48	79.50" 2019.18mm	51.82
13.90" 352.58mm	8.64	82.78" 2102.51mm	53.98
17.18" 435.91mm	10.80	86.06" 2185.84mm	56.14
20.46" 519.24mm	12.96	89.34" 2269.17mm	58.30
23.74" 602.57mm	15.12	92.62" 2352.50mm	60.46
27.02" 685.90mm	17.27	95.90" 2435.83mm	62.62
30.30" 769.23mm	19.43	99.18" 2519.16mm	64.78
33.58" 852.56mm	21.59	102.46" 2602.49mm	66.94
36.86" 935.89mm	23.75	105.74" 2685.82mm	69.10
40.14" 1019.22mm	25.91	109.02" 2769.15mm	71.26
43.42" 1102.55mm	28.07	112.30" 2852.48mm	73.42
46.70" 1185.88mm	30.23	115.58" 2935.81mm	75.58
49.98" 1269.21mm	32.39	118.86" 3019.14mm	77.74
53.26" 1352.54mm	34.55	122.14" 3102.47mm	79.90
56.54" 1435.87mm	36.71	125.42" 3185.80mm	82.05
59.82" 1519.20mm	38.87	128.70" 3269.13mm	84.21
63.10" 1602.53mm	41.03	131.98" 3352.46mm	86.37
66.38" 1685.86mm	43.19	135.26" 3435.79mm	88.53
69.66" 1769.19mm	45.35	138.54" 3519.12mm	90.69
72.94" 1852.52mm	47.51	141.82" 3602.45mm	92.85
76.22" 1935.85mm	49.66		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

1150lm/ft

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
10.63" 269.26mm	6	55.94" 1419.26mm	33.62	101.25" 2569.26mm	61.24
12.60" 319.26mm	7.21	57.91" 1469.26mm	34.82	103.22" 2619.26mm	62.44
14.57" 369.26mm	8.41	59.88" 1519.26mm	36.03	105.19" 2669.26mm	63.65
16.54" 419.26mm	9.61	61.85" 1569.26mm	37.23	107.16" 2719.26mm	64.85
18.51" 469.26mm	10.81	63.82" 1619.26mm	38.43	109.13" 2769.26mm	66.05
20.48" 519.26mm	12.01	65.79" 1669.26mm	39.63	111.10" 2819.26mm	67.25
22.45" 569.26mm	13.21	67.76" 1719.26mm	40.83	113.07" 2869.26mm	68.45
24.42" 619.26mm	14.41	69.73" 1769.26mm	42.03	115.04" 2919.26mm	69.65
26.39" 669.26mm	15.61	71.70" 1819.26mm	43.23	117.01" 2969.26mm	70.85
28.36" 719.26mm	16.81	73.67" 1869.26mm	44.43	118.98" 3019.26mm	72.05
30.33" 769.26mm	18.01	75.64" 1919.26mm	45.63	120.95" 3069.26mm	73.25
32.30" 819.26mm	19.21	77.61" 1969.26mm	46.83	122.92" 3119.26mm	74.45
34.27" 869.26mm	20.41	79.58" 2019.26mm	48.03	124.89" 3169.26mm	75.65
36.24" 919.26mm	21.62	81.55" 2069.26mm	49.23	126.86" 3219.26mm	76.85
38.21" 969.26mm	22.82	83.52" 2119.26mm	50.44	128.83" 3269.26mm	78.06
40.18" 1019.26mm	24.02	85.49" 2169.26mm	51.64	130.80" 3319.26mm	79.26
42.15" 1069.26mm	25.22	87.46" 2219.26mm	52.84	132.77" 3369.26mm	80.46
44.12" 1119.26mm	26.42	89.43" 2269.26mm	54.04	134.74" 3419.26mm	81.66
46.09" 1169.26mm	27.62	91.40" 2319.26mm	55.24	136.71" 3469.26mm	82.86
48.06" 1219.26mm	28.82	93.37" 2369.26mm	56.44	138.68" 3519.26mm	84.06
50.03" 1269.26mm	30.02	95.34" 2419.26mm	57.64	140.65" 3569.26mm	85.26
52" 11319.26mm	31.22	97.31" 2469.26mm	58.84	142.62" 3619.26mm	86.46
53.97" 1369.26mm	32.42	99.28" 2519.26mm	60.04		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

1400lm/ft

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
12.26" 310.72mm	8.40	56.54" 1435.54mm	40.79	100.82" 2560.36mm	73.18
13.90" 352.38mm	9.60	58.18" 1477.20mm	41.99	102.46" 2602.02mm	74.38
15.54" 394.04mm	10.80	59.82" 1518.86mm	43.19	104.10" 2643.68mm	75.58
17.18" 435.70mm	12	61.46" 1560.52mm	44.39	105.74" 2685.34mm	76.78
18.82" 477.36mm	13.20	63.10" 1602.18mm	45.59	107.38" 2727mm	77.98
20.46" 519.02mm	14.40	64.74" 1643.84mm	46.79	109.02" 2768.66mm	79.18
22.10" 560.68mm	15.60	66.38" 1685.50mm	47.99	110.66" 2810.32mm	80.38
23.74" 602.34mm	16.79	68.02" 1727.16mm	49.19	112.30" 2851.98mm	81.58
25.38" 644mm	17.99	69.66" 1768.82mm	50.38	113.94" 2893.64mm	82.77
27.02" 685.66mm	19.19	71.30" 1810.48mm	51.58	115.58" 2935.30mm	83.97
28.66" 727.32mm	20.39	72.94" 1852.14mm	52.78	117.22" 2976.96mm	85.17
30.30" 768.98mm	21.59	74.58" 1893.80mm	53.98	118.86" 3018.62mm	86.37
31.94" 810.64mm	22.79	76.22" 1935.46mm	55.18	120.50" 3060.28mm	87.57
33.58" 852.30mm	23.99	77.86" 1977.12mm	56.38	122.14" 3101.94mm	88.77
35.22" 893.96mm	25.19	79.50" 2018.78mm	57.58	123.78" 3143.60mm	89.97
36.86" 935.62mm	26.39	81.14" 2060.44mm	58.78	125.42" 3185.26mm	91.17
38.50" 977.28mm	27.59	82.78" 2102.10mm	59.98	127.06" 3226.92mm	92.37
40.14" 1018.94mm	28.79	84.42" 2143.76mm	61.18	128.70" 3268.58mm	93.57
41.78" 1060.60mm	29.99	86.06" 2185.42mm	62.38	130.34" 3310.24mm	94.77
43.42" 1102.26mm	31.19	87.70" 2227.08mm	63.58	131.98" 3351.90mm	95.97
45.06" 1143.92mm	32.39	89.34" 2268.74mm	64.78	133.62" 3393.56mm	97.17
46.70" 1185.58mm	33.59	90.98" 2310.40mm	65.98	135.26" 3435.22mm	98.37
48.34" 1227.24mm	34.79	92.62" 2352.06mm	67.18	136.90" 3476.88mm	99.57
49.98" 1268.90mm	35.99	94.26" 2393.72mm	68.38	138.54" 3518.54mm	100.77
51.62" 1310.56mm	37.19	95.90" 2435.38mm	69.58	140.18" 3560.20mm	101.97
53.26" 1352.22mm	38.39	97.54" 2477.04mm	70.78	141.82" 3601.86mm	103.17
54.90" 1393.88mm	39.59	99.18" 2518.70mm	71.98	143.46" 3643.52mm	104.37

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

Dim to Warm 480lm/ft

Average Length	Wattage	Average Length	Wattage
10.62" 269.54mm	4.32	79.50" 2021.50mm	34.55
13.08" 332.11mm	5.40	81.96" 2084.07mm	35.63
15.54" 394.68mm	6.48	84.42" 2146.64mm	36.71
18" 457.25mm	7.56	86.88" 2209.21mm	37.79
20.46" 519.82mm	8.64	89.34" 2271.78mm	38.87
22.92" 582.39mm	9.72	91.80" 2334.35mm	39.95
25.38" 644.96mm	10.80	94.26" 2396.92mm	41.03
27.84" 707.53mm	11.88	96.72" 2459.49mm	42.11
30.30" 770.10mm	12.96	99.18" 2522.06mm	43.19
32.76" 832.67mm	14.04	101.64" 2584.63mm	44.27
35.22" 895.24mm	15.12	104.10" 2647.20mm	45.35
37.68" 957.81mm	16.20	106.56" 2709.77mm	46.43
40.14" 1020.38mm	17.27	109.02" 2772.34mm	47.51
42.60" 1082.95mm	18.35	111.48" 2834.91mm	48.59
45.06" 1145.52mm	19.43	113.94" 2897.48mm	49.66
47.52" 1208.09mm	20.51	116.40" 2960.05mm	50.74
49.98" 1270.66mm	21.59	118.86" 3022.62mm	51.82
52.44" 1333.23mm	22.67	121.32" 3085.19mm	52.90
54.90" 1395.80mm	23.75	123.78" 3147.76mm	53.98
57.36" 1458.37mm	24.83	126.24" 3210.33mm	55.06
59.82" 1520.94mm	25.91	128.70" 3272.90mm	56.14
62.28" 1583.51mm	26.99	131.16" 3335.47mm	57.22
64.74" 1646.08mm	28.07	133.62" 3398.04mm	58.30
67.20" 1708.65mm	29.15	136.08" 3460.61mm	59.38
69.66" 1771.22mm	30.23	138.54" 3523.18mm	60.46
72.12" 1833.79mm	31.31	141" 3585.75mm	61.54
74.58" 1896.36mm	32.39	143.46" 3648.32mm	62.62
77.04" 1958.93mm	33.47		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

Tunable White 220lm/ft

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
10.63" 269.26mm	2.50	55.94" 1419.26mm	14.01	101.25" 2569.26mm	25.52
12.60" 319.26mm	3	57.91" 1469.26mm	14.51	103.22" 2619.26mm	26.02
14.57" 369.26mm	3.50	59.88" 1519.26mm	15.01	105.19" 2669.26mm	26.52
16.54" 419.26mm	4	61.85" 1569.26mm	15.51	107.16" 2719.26mm	27.02
18.51" 469.26mm	4.50	63.82" 1619.26mm	16.01	109.13" 2769.26mm	27.52
20.48" 519.26mm	5	65.79" 1669.26mm	16.51	111.10" 2819.26mm	28.02
22.45" 569.26mm	5.50	67.76" 1719.26mm	17.01	113.07" 2869.26mm	28.52
24.42" 619.26mm	6	69.73" 1769.26mm	17.51	115.04" 2919.26mm	29.02
26.39" 669.26mm	6.50	71.70" 1819.26mm	18.01	117.01" 2969.26mm	29.52
28.36" 719.26mm	7	73.67" 1869.26mm	18.51	118.98" 3019.26mm	30.02
30.33" 769.26mm	7.51	75.64" 1919.26mm	19.01	120.95" 3069.26mm	30.52
32.30" 819.26mm	8.01	77.61" 1969.26mm	19.51	122.92" 3119.26mm	31.02
34.27" 869.26mm	8.51	79.58" 2019.26mm	20.01	124.89" 3169.26mm	31.52
36.24" 919.26mm	9.01	81.55" 2069.26mm	20.51	126.86" 3219.26mm	32.02
38.21" 969.26mm	9.51	83.52" 2119.26mm	21.01	128.83" 3269.26mm	32.52
40.18" 1019.26mm	10.01	85.49" 2169.26mm	21.52	130.80" 3319.26mm	33.02
42.15" 1069.26mm	10.51	87.46" 2219.26mm	22.02	132.77" 3369.26mm	33.52
44.12" 1119.26mm	11.01	89.43" 2269.26mm	22.52	134.74" 3419.26mm	34.02
46.09" 1169.26mm	11.51	91.40" 2319.26mm	23.02	136.71" 3469.26mm	34.52
48.06" 1219.26mm	12.01	93.37" 2369.26mm	23.52	138.68" 3519.26mm	35.02
50.03" 1269.26mm	12.51	95.34" 2419.26mm	24.02	140.65" 3569.26mm	35.53
52" 11319.26mm	13.01	97.31" 2469.26mm	24.52	142.62" 3619.26mm	36.03
53.97" 1369.26mm	13.51	99.28" 2519.26mm	25.02		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

Tunable White 300lm/ft

Average Length	Wattage	Average Length	Wattage	Average Length	Wattage
10.63" 269.26mm	3.75	55.94" 1419.26mm	21.01	101.25" 2569.26mm	38.28
12.60" 319.26mm	4.50	57.91" 1469.26mm	21.77	103.22" 2619.26mm	39.03
14.57" 369.26mm	5.25	59.88" 1519.26mm	22.52	105.19" 2669.26mm	39.78
16.54" 419.26mm	6	61.85" 1569.26mm	23.27	107.16" 2719.26mm	40.53
18.51" 469.26mm	6.75	63.82" 1619.26mm	24.02	109.13" 2769.26mm	41.28
20.48" 519.26mm	7.51	65.79" 1669.26mm	24.77	111.10" 2819.26mm	42.03
22.45" 569.26mm	8.26	67.76" 1719.26mm	25.52	113.07" 2869.26mm	42.78
24.42" 619.26mm	9.01	69.73" 1769.26mm	26.27	115.04" 2919.26mm	43.53
26.39" 669.26mm	9.76	71.70" 1819.26mm	27.02	117.01" 2969.26mm	44.28
28.36" 719.26mm	10.51	73.67" 1869.26mm	27.77	118.98" 3019.26mm	45.03
30.33" 769.26mm	11.26	75.64" 1919.26mm	28.52	120.95" 3069.26mm	45.78
32.30" 819.26mm	12.01	77.61" 1969.26mm	29.27	122.92" 3119.26mm	46.53
34.27" 869.26mm	12.76	79.58" 2019.26mm	30.02	124.89" 3169.26mm	47.28
36.24" 919.26mm	13.51	81.55" 2069.26mm	30.77	126.86" 3219.26mm	48.03
38.21" 969.26mm	14.26	83.52" 2119.26mm	31.52	128.83" 3269.26mm	48.78
40.18" 1019.26mm	15.01	85.49" 2169.26mm	32.27	130.80" 3319.26mm	49.54
42.15" 1069.26mm	15.76	87.46" 2219.26mm	33.02	132.77" 3369.26mm	50.29
44.12" 1119.26mm	16.51	89.43" 2269.26mm	33.77	134.74" 3419.26mm	51.04
46.09" 1169.26mm	17.26	91.40" 2319.26mm	34.52	136.71" 3469.26mm	51.79
48.06" 1219.26mm	18.01	93.37" 2369.26mm	35.28	138.68" 3519.26mm	52.54
50.03" 1269.26mm	18.76	95.34" 2419.26mm	36.03	140.65" 3569.26mm	53.29
52" 1319.26mm	19.51	97.31" 2469.26mm	36.78	142.62" 3619.26mm	54.04
53.97" 1369.26mm	20.26	99.28" 2519.26mm	37.53		

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

RGBW 250lm/ft

Average Length	Wattage	Average Length	Wattage
10.66" 270.22mm	3.85	77.35" 1964.20mm	29.87
13.13" 332.96mm	4.82	79.82" 2026.94mm	30.84
15.60" 395.70mm	5.78	82.29" 2089.68mm	31.80
18.07" 458.44mm	6.75	84.76" 2152.42mm	32.76
20.54" 521.18mm	7.71	87.23" 2215.16mm	33.73
23.01" 583.92mm	8.67	89.70" 2277.90mm	34.69
25.48" 646.66mm	9.64	92.17" 2340.64mm	35.65
27.95" 709.40mm	10.60	94.64" 2403.38mm	36.62
30.42" 772.14mm	11.56	97.11" 2466.12mm	37.58
32.89" 834.88mm	12.53	99.58" 2528.86mm	38.54
35.36" 897.62mm	13.49	102.05" 2591.60mm	39.51
37.83" 960.36mm	14.45	104.52" 2654.34mm	40.47
40.30" 1023.10mm	15.42	106.99" 2717.08mm	41.44
42.77" 1085.84mm	16.38	109.46" 2779.82mm	42.40
45.24" 1148.58mm	17.34	111.93" 28422.56mm	43.36
47.71" 1211.32mm	18.31	114.40" 2905.30mm	44.33
50.18" 1274.06mm	19.27	116.87" 2968.04mm	45.29
52.65" 1336.80mm	20.24	119.34" 3030.78mm	46.25
55.12" 1399.54mm	21.20	121.81" 3093.52mm	47.22
57.59" 1462.28mm	22.16	124.28" 3156.26mm	48.18
60.06" 1525.02mm	23.13	126.75" 3219mm	49.14
62.53" 1587.76mm	24.09	129.22" 3281.74mm	50.11
65" 1650.50mm	25.05	131.69" 3344.48mm	51.07
67.47" 1713.24mm	26.02	134.16" 3407.22mm	52.03
69.94" 1775.95mm	26.98	136.63" 3469.96mm	53
72.41" 1838.72mm	27.94	139.10" 3532.70mm	53.96
74.88" 1901.46mm	28.91	141.57" 3595.44mm	54.93

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.

DETAILED LENGTHS AND CONSUMPTION PER LUMEN PACKAGE

RGBW 350lm/ft

Average Length	Wattage	Average Length	Wattage
10.66" 270.22mm	6.27	77.35" 1964.20mm	48.62
13.13" 332.96mm	7.84	79.82" 2026.94mm	50.19
15.60" 395.70mm	9.41	82.29" 2089.68mm	51.76
18.07" 458.44mm	10.98	84.76" 2152.42mm	53.32
20.54" 521.18mm	12.55	87.23" 2215.16mm	54.89
23.01" 583.92mm	14.12	89.70" 2277.90mm	56.46
25.48" 646.66mm	15.68	92.17" 2340.64mm	58.03
27.95" 709.40mm	17.25	94.64" 2403.38mm	59.60
30.42" 772.14mm	18.82	97.11" 2466.12mm	61.17
32.89" 834.88mm	20.39	99.58" 2528.86mm	62.73
35.36" 897.62mm	21.96	102.05" 2591.60mm	64.30
37.83" 960.36mm	23.53	104.52" 2654.34mm	65.87
40.30" 1023.10mm	25.09	106.99" 2717.08mm	67.44
42.77" 1085.84mm	26.66	109.46" 2779.82mm	69.01
45.24" 1148.58mm	28.23	111.93" 28422.56mm	70.58
47.71" 1211.32mm	29.80	114.40" 2905.30mm	72.15
50.18" 1274.06mm	31.37	116.87" 2968.04mm	73.71
52.65" 1336.80mm	32.94	119.34" 3030.78mm	75.28
55.12" 1399.54mm	34.50	121.81" 3093.52mm	76.85
57.59" 1462.28mm	36.07	124.28" 3156.26mm	78.42
60.06" 1525.02mm	37.64	126.75" 3219mm	79.99
62.53" 1587.76mm	39.21	129.22" 3281.74mm	81.56
65" 1650.50mm	40.78	131.69" 3344.48mm	83.12
67.47" 1713.24mm	42.35	134.16" 3407.22mm	84.69
69.94" 1775.95mm	43.91	136.63" 3469.96mm	86.26
72.41" 1838.72mm	45.48	139.10" 3532.70mm	87.83
74.88" 1901.46mm	47.05	141.57" 3595.44mm	89.40

For informational purposes only. Final measurements will vary slightly depending on the chosen Linear Solutions and their options. Additionally, if a Lead Out is required, add 0.50" | 12.50mm to measurements above.