

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

120lm/pi

Longueur	Wattage	Longueur	Wattage
13.08"   331.95mm	0.94	79.50"   2021.34mm	6
15.54"   394.52mm	1.12	81.96"   2083.91mm	6.19
18"   457.09mm	1.31	84.42"   2146.48mm	6.37
20.46"   519.66mm	1.50	86.88"   2209.05mm	6.56
22.92"   582.23mm	1.69	89.34"   2271.62mm	6.75
25.38"   644.80mm	1.87	91.80"   2334.19mm	6.94
27.84"   707.37mm	2.06	94.26"   2391.66mm	7.12
30.30"   769.94mm	2.25	96.72"   2459.33mm	7.31
32.76"   832.51mm	2.44	99.18"   2521.90mm	7.50
35.22"   895.08mm	2.62	101.64"   2584.47mm	7.69
37.68"   957.65mm	2.81	104.10"   2647.04mm	7.87
40.14"   1020.22mm	3	106.56"   2709.61mm	8.06
42.60"   1082.79mm	3.19	109.02"   2772.18mm	8.25
45.06"   1145.36mm	3.37	111.48"   2834.75mm	8.43
47.52"   1207.93mm	3.56	113.94"   2897.32mm	8.62
49.98"   1270.50mm	3.75	116.40"   2959.89mm	8.81
52.44"   1333.07mm	3.94	118.86"   3022.46mm	9
54.90"   1395.64mm	4.12	121.32"   3085.03mm	9.18
57.36"   1458.21mm	4.31	123.78"   3147.60mm	9.37
59.82"   1520.78mm	4.50	126.24"   3210.17mm	9.56
62.28"   1583.35mm	4.69	128.70"   3272.74mm	9.75
64.74"   1645.92mm	4.87	131.16"   3335.31mm	9.93
67.20"   1708.49mm	5.06	133.62"   3397.88mm	10.12
69.66"   1771.06mm	5.25	136.08"   3460.45mm	10.31
72.12"   1833.63mm	5.44	138.54"   3523.02mm	10.50
74.58"   1896.20mm	5.62	141"   3585.59mm	10.68
77.04"   1958.77mm	5.81	143.46"   3648.16mm	10.87

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

290lm/pi

Longueur	Wattage	Longueur	Wattage
13.08"   331.95mm	2.66	79.50"   2021.34mm	16.99
15.54"   394.52mm	3.19	81.96"   2083.91mm	17.53
18"   457.09mm	3.72	84.42"   2146.48mm	18.06
20.46"   519.66mm	4.25	86.88"   2209.05mm	18.59
22.92"   582.23mm	4.78	89.34"   2271.62mm	19.12
25.38"   644.80mm	5.31	91.80"   2334.19mm	19.65
27.84"   707.37mm	5.84	94.26"   2396.76mm	20.18
30.30"   769.94mm	6.37	96.72"   2459.33mm	20.71
32.76"   832.51mm	6.90	99.18"   2521.90mm	21.24
35.22"   895.08mm	7.44	101.64"   2584.47mm	21.77
37.68"   957.65mm	7.97	104.10"   2647.04mm	22.31
40.14"   1020.22mm	8.50	106.56"   2709.61mm	22.84
42.60"   1082.79mm	9.03	109.02"   2772.18mm	23.37
45.06"   1145.36mm	9.56	111.48"   2834.75mm	23.90
47.52"   1207.93mm	10.09	113.94"   2897.32mm	24.43
49.98"   1270.50mm	10.62	116.40"   2959.89mm	24.96
52.44"   1333.07mm	11.15	118.86"   3022.46mm	25.49
54.90"   1395.64mm	11.68	121.32"   3085.03mm	26.02
57.36"   1458.21mm	12.22	123.78"   3147.60mm	26.55
59.82"   1520.78mm	12.75	126.24"   3210.17mm	27.09
62.28"   1583.35mm	13.28	128.70"   3272.74mm	27.62
64.74"   1645.92mm	13.81	131.16"   3335.31mm	28.15
67.20"   1708.49mm	14.34	133.62"   3397.88mm	28.68
69.66"   1771.06mm	14.87	136.08"   3460.45mm	29.21
72.12"   1833.63mm	15.40	138.54"   3523.02mm	29.74
74.58"   1896.20mm	15.93	141"   3585.59mm	30.27
77.04"   1958.77mm	16.46	143.46"   3648.16mm	30.80

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

420lm/pi

Longueur	Wattage	Longueur	Wattage
13.08"   331.95mm	3.60	79.50"   2021.34mm	23.03
15.54"   394.52mm	4.32	81.96"   2083.91mm	23.75
18"   457.09mm	5.04	84.42"   2146.48mm	24.47
20.46"   519.66mm	5.76	86.88"   2209.05mm	25.19
22.92"   582.23mm	6.48	89.34"   2271.62mm	25.91
25.38"   644.80mm	7.20	91.80"   2334.19mm	26.63
27.84"   707.37mm	7.92	94.26"   2396.76mm	27.35
30.30"   769.94mm	8.64	96.72"   2459.33mm	28.07
32.76"   832.51mm	9.36	99.18"   2521.90mm	28.79
35.22"   895.08mm	10.08	101.64"   2584.47mm	29.51
37.68"   957.65mm	10.80	104.10"   2647.04mm	30.23
40.14"   1020.22mm	11.52	106.56"   2709.61mm	30.95
42.60"   1082.79mm	12.24	109.02"   2772.18mm	31.67
45.06"   1145.36mm	12.96	111.48"   2834.75mm	32.39
47.52"   1207.93mm	13.68	113.94"   2897.32mm	33.11
49.98"   1270.50mm	14.40	116.40"   2959.89mm	33.83
52.44"   1333.07mm	15.12	118.86"   3022.46mm	34.55
54.90"   1395.64mm	15.84	121.32"   3085.03mm	35.27
57.36"   1458.21mm	16.55	123.78"   3147.60mm	35.99
59.82"   1520.78mm	17.27	126.24"   3210.17mm	36.71
62.28"   1583.35mm	17.99	128.70"   3272.74mm	37.43
64.74"   1645.92mm	18.71	131.16"   3335.31mm	38.15
67.20"   1708.49mm	19.43	133.62"   3397.88mm	38.87
69.66"   1771.06mm	20.15	136.08"   3460.45mm	39.59
72.12"   1833.63mm	20.87	138.54"   3523.02mm	40.31
74.58"   1896.20mm	21.59	141"   3585.59mm	41.03
77.04"   1958.77mm	22.31	143.46"   3648.16mm	41.75

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

700lm/pi

Longueur	Wattage	Longueur	Wattage
12.60"   319.10mm	5.76	79.58"   2019.10mm	38.43
14.57"   369.10mm	6.72	81.55"   2069.10mm	39.39
16.54"   419.10mm	7.69	83.52"   2119.10mm	40.35
18.51"   469.10mm	8.65	85.49"   2169.10mm	41.31
20.48"   519.10mm	9.61	87.46"   2219.10mm	42.27
22.45"   569.10mm	10.57	89.43"   2269.10mm	43.23
24.42"   619.10mm	11.53	91.40"   2319.10mm	44.19
26.39"   669.10mm	12.49	93.37"   2369.10mm	45.15
28.36"   719.10mm	13.45	95.34"   2419.10mm	46.11
30.33"   769.10mm	14.41	97.31"   2469.10mm	47.07
32.30"   819.10mm	15.37	99.28"   2519.10mm	48.03
34.27"   869.10mm	16.33	101.25"   2569.10mm	48.99
36.24"   919.10mm	17.29	103.22"   2619.10mm	49.96
38.21"   969.10mm	18.25	105.19"   2669.10mm	50.92
40.18"   1019.10mm	19.21	107.16"   2719.10mm	51.88
42.15"   1069.10mm	20.17	109.13"   2769.10mm	52.84
44.12"   1119.10mm	21.14	111.10"   2819.10mm	53.80
46.09"   1169.10mm	22.10	113.07"   2869.10mm	54.76
48.06"   1219.10mm	23.06	115.04"   2919.10mm	55.72
50.03"   1269.10mm	24.02	117.01"   2969.10mm	56.68
52"   1319.10mm	24.98	118.98"   3019.10mm	57.64
53.97"   1369.10mm	25.94	120.95"   3069.10mm	58.60
55.94"   1419.10mm	26.90	122.92"   3119.10mm	59.56
57.91"   1469.10mm	27.86	124.89"   3169.10mm	60.52
59.88"   1519.10mm	28.82	126.86"   3219.10mm	61.48
61.85"   1569.10mm	29.78	128.83"   3269.10mm	62.44
63.82"   1619.10mm	30.74	130.80"   3319.10mm	63.41
65.79"   1669.10mm	31.70	132.77"   3369.10mm	64.37
67.76"   1719.10mm	32.66	134.74"   3419.10mm	65.33
69.73"   1769.10mm	33.62	136.71"   3469.10mm	66.29
71.70"   1819.10mm	34.58	138.68"   3519.10mm	67.25
73.67"   1869.10mm	35.55	140.65"   3569.10mm	68.21
75.64"   1919.10mm	36.51	142.62"   3619.10mm	69.17
77.61"   1969.10mm	37.47		

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

900lm/pi

Longueur	Wattage	Longueur	Wattage	Longueur	Wattage
12.66"   320.96mm	6.52	27.18"   689.90mm	14.48	42.14"   1070.02mm	22.69
13.10"   332.14mm	6.76	27.62"   701.08mm	14.72	42.58"   1081.20mm	22.93
13.54"   343.32mm	7	28.06"   712.26mm	14.97	43.46"   1103.56mm	23.41
13.98"   354.50mm	7.24	28.50"   723.44mm	15.21	43.90"   1114.74mm	23.66
14.42"   365.68mm	7.48	28.94"   734.62mm	15.45	44.34"   1125.92mm	23.90
14.86"   376.86mm	7.72	29.38"   745.80mm	15.69	44.78"   1137.10mm	24.14
15.30"   388.04mm	7.97	29.82"   756.98mm	15.93	45.22"   1148.28mm	24.38
15.74"   399.22mm	8.21	30.26"   768.16mm	16.17	45.66"   1159.46mm	24.62
16.18"   410.40mm	8.45	30.70"   779.34mm	16.41	46.10"   1170.64mm	24.86
16.62"   421.58mm	8.69	31.14"   790.52mm	16.66	46.54"   1181.82mm	25.10
17.06"   432.76mm	8.93	31.58"   801.70mm	16.90	46.98"   1193mm	25.35
17.50"   443.94mm	9.17	32.02"   812.88mm	17.14	47.42"   1204.18mm	25.59
17.94"   455.12mm	9.41	32.46"   824.06mm	17.38	47.86"   1215.36mm	25.83
18.38"   466.30mm	9.66	32.90"   835.24mm	17.62	48.30"   1226.54mm	26.07
18.82"   477.48mm	9.90	33.34"   846.42mm	17.86	48.74"   1237.72mm	26.31
19.26"   488.66mm	10.14	33.78"   857.60mm	18.10	49.18"   1248.90mm	26.55
19.70"   499.84mm	10.38	34.22"   868.78mm	18.35	49.62"   1260.08mm	26.79
20.14"   511.02mm	10.62	34.66"   879.96mm	18.59	50.06"   1271.26mm	27.04
20.58"   522.20mm	10.86	35.10"   891.14mm	18.83	50.50"   1282.44mm	27.28
21.02"   533.38mm	11.10	35.54"   902.32mm	19.07	50.94"   1293.62mm	27.52
21.46"   544.56mm	11.35	35.98"   913.50mm	19.31	51.38"   1304.80mm	27.76
21.90"   555.74mm	11.59	36.42"   924.68mm	19.55	51.82"   1315.98mm	28
22.11"   566.92mm	11.83	36.86"   935.86mm	19.79	52.26"   1327.16mm	28.24
22.78"   578.10mm	12.07	37.30"   947.04mm	20.04	52.70"   1338.34mm	28.48
23.22"   589.28mm	12.31	37.74"   958.22mm	20.28	53.14"   1349.52mm	28.73
23.66"   600.46mm	12.55	38.18"   969.40mm	20.52	53.58"   1360.70mm	28.97
24.10"   611.64mm	12.79	38.62"   980.58mm	20.76	54.02"   1371.88mm	29.21
24.54"   622.82mm	13.04	39.06"   991.76mm	21	54.46"   1383.06mm	29.45
24.98"   634mm	13.28	39.50"   1002.94mm	21.24	54.90"   1394.24mm	29.69
25.42"   645.18mm	13.52	39.94"   1014.12mm	21.48	55.34"   1405.42mm	29.93
25.86"   656.36mm	13.76	40.38"   1025.30mm	21.73	55.78"   1416.60mm	30.17
26.30"   667.54mm	14	40.82"   1036.48mm	22.21	56.22"   1427.78mm	30.42
26.74"   678.72mm	14.24	41.26"   1047.66mm	22.45	56.66"   1438.96mm	30.66

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

## 900lm/pi (Cont.)

Longueur	Wattage	Longueur	Wattage	Longueur	Wattage
57.10"   1450.14mm	30.90	71.62"   1819.08mm	38.86	86.14"   2188.02mm	46.83
57.54"   1461.32mm	31.14	72.06"   1830.26mm	39.11	86.58"   2199.20mm	47.07
57.98"   1472.50mm	31.38	72.50"   1841.44mm	39.35	87.02"   2210.38mm	47.31
58.42"   1483.68mm	31.62	72.94"   1852.62mm	39.59	87.46"   2221.56mm	47.55
59.86"   1494.86mm	31.86	73.38"   1863.80mm	39.83	87.90"   2232.74mm	47.80
59.30"   1506.04mm	32.10	73.82"   1874.98mm	40.07	88.34"   2243.92mm	48.04
59.74"   1517.22mm	32.35	74.26"   1886.16mm	40.31	88.78"   2255.10mm	48.28
60.18"   1528.40mm	32.59	74.70"   1897.34mm	40.55	89.22"   2266.28mm	48.52
60.62"   1539.58mm	32.83	75.14"   1908.52mm	40.79	89.66"   2277.46mm	48.76
61.06"   1550.76mm	33.07	75.58"   1919.70mm	41.04	90.10"   2288.64mm	49
61.50"   1561.94mm	33.31	76.02"   1930.88mm	41.28	90.54"   2299.82mm	49.24
61.94"   1573.12mm	33.55	76.46"   1942.06mm	41.52	90.98"   2311mm	49.48
62.38"   1584.30mm	33.79	76.90"   1953.24mm	41.76	91.42"   2322.18mm	49.73
62.82"   1595.48mm	34.04	77.34"   1964.42mm	42	91.86"   2333.36mm	49.97
63.26"   1606.66mm	34.28	77.78"   1975.60mm	42.24	92.30"   2344.54mm	50.21
63.70"   1617.84mm	34.52	78.22"   1986.78mm	42.48	92.74"   2355.72mm	50.45
64.14"   1629.02mm	34.76	78.66"   1997.96mm	42.73	93.18"   2366.90mm	50.69
64.58"   1640.20mm	35	79.10"   2009.14mm	42.97	93.62"   2378.08mm	50.93
65.02"   1651.38mm	35.24	79.54"   2020.32mm	43.21	94.06"   2389.26mm	51.17
65.46"   1662.56mm	35.48	79.98"   2031.50mm	43.45	94.50"   2400.44mm	51.42
65.90"   1673.74mm	35.73	80.42"   2042.68mm	43.69	94.94"   2411.62mm	51.66
66.34"   1684.92mm	35.97	80.86"   2053.86mm	43.93	95.38"   2422.80mm	51.90
66.78"   1696.10mm	36.21	81.30"   2065.04mm	44.17	95.82"   2433.98mm	52.14
67.22"   1707.28mm	36.45	81.74"   2076.22mm	44.42	96.26"   2445.16mm	52.38
67.66"   1718.46mm	36.69	82.18"   2087.40mm	44.66	96.70"   2456.34mm	52.62
68.10"   1729.64mm	36.93	82.62"   2098.58mm	44.90	97.14"   2467.52mm	52.86
68.54"   1740.82mm	37.17	83.06"   2109.76mm	45.14	97.58"   2478.70mm	53.11
68.98"   1752mm	37.42	83.50"   2120.94mm	45.38	98.02"   2489.88mm	53.35
69.42"   1763.18mm	37.66	83.94"   2132.12mm	45.62	98.46"   2501.06mm	53.59
69.86"   1774.36mm	37.90	84.38"   2143.30mm	45.86	98.90"   2512.24mm	53.83
70.30"   1785.54mm	38.14	84.82"   2154.48mm	46.11	99.34"   2523.42mm	54.07
70.74"   1796.72mm	38.38	85.26"   2165.66mm	46.35	99.78"   2534.60mm	54.31
71.18"   1807.90mm	38.62	85.70"   2176.84mm	46.59	100.22"   2545.78mm	54.55

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

## 900lm/pi (Cont.)

Longueur	Wattage	Longueur	Wattage	Longueur	Wattage
100.66"   2556.96mm	54.80	115.18"   2925.90mm	62.76	129.70"   3294.84mm	70.73
101.10"   2568.14mm	55.04	115.62"   2937.08mm	63	130.14"   3306.02mm	70.97
101.54"   2579.32mm	55.28	116.06"   2948.26mm	63.24	130.58"   3317.20mm	71.21
101.98"   2590.50mm	55.52	116.50"   2959.44mm	63.49	131.02"   3328.38mm	71.45
102.42"   2601.68mm	55.76	116.94"   2970.62mm	63.73	131.46"   3339.56mm	71.69
102.86"   2612.86mm	56	117.38"   2981.80mm	63.97	131.90"   3350.74mm	71.93
103.30"   2624.04mm	56.24	117.82"   2992.98mm	64.21	132.34"   3361.92mm	72.18
103.74"   2635.22mm	56.49	118.26"   3004.16mm	64.45	132.78"   3373.10mm	72.42
104.18"   2646.40mm	56.73	118.70"   3015.34mm	64.69	133.22"   3384.28mm	72.66
104.62"   2657.58mm	56.97	119.14"   3026.52mm	64.93	133.66"   3395.46mm	72.90
105.06"   2668.76mm	57.21	119.58"   3037.70mm	65.18	134.10"   3406.64mm	73.14
105.50"   2679.94mm	57.45	120.02"   3048.88mm	65.42	134.54"   3417.82mm	73.38
105.94"   2691.12mm	57.69	120.46"   3060.06mm	65.66	134.98"   3429mm	73.62
106.38"   2702.30mm	57.93	120.90"   3071.24mm	65.90	135.42"   3440.18mm	73.87
106.82"   2713.48mm	58.17	121.34"   3082.42mm	66.14	135.86"   3451.36mm	74.11
107.26"   2724.66mm	58.42	121.78"   3093.60mm	66.38	136.30"   3462.54mm	74.35
107.70"   2735.84mm	58.66	122.22"   3104.78mm	66.62	136.74"   3473.72mm	74.59
108.14"   2747.02mm	58.90	122.66"   3115.96mm	66.86	137.18"   3484.90mm	74.83
108.58"   2758.20mm	59.14	123.10"   3127.14mm	67.11	137.62"   3496.08mm	75.07
109.02"   2769.38mm	59.38	123.54"   3138.32mm	67.35	138.06"   3507.26mm	75.31
109.46"   2780.56mm	59.62	123.98"   3149.50mm	67.59	138.50"   3518.44mm	75.56
109.90"   2791.74mm	59.86	124.42"   3160.68mm	67.83	138.94"   3529.62mm	75.80
110.34"   2802.92mm	60.11	124.86"   3171.86mm	68.07	139.38"   3540.80mm	76.04
110.78"   2814.10mm	60.35	125.30"   3183.04mm	68.31	139.82"   3551.98mm	76.28
111.22"   2825.28mm	60.59	125.74"   3194.22mm	68.55	140.26"   3563.16mm	76.52
111.66"   2836.46mm	60.83	126.18"   3205.40mm	68.80	140.70"   3574.34mm	76.76
112.10"   2847.64mm	61.07	126.62"   3216.58mm	69.04	141.14"   3585.52mm	77
112.54"   2858.82mm	61.31	127.06"   3227.76mm	69.28	141.58"   3596.70mm	77.24
112.98"   2870mm	61.55	127.50"   3238.94mm	69.52	142.02"   3607.88mm	77.49
113.42"   2881.18mm	61.80	127.94"   3250.12mm	69.76	142.46"   3619.06mm	77.73
113.86"   2892.36mm	62.04	128.38"   3261.30mm	70	142.90"   3630.24mm	77.97
114.30"   2903.54mm	62.28	128.82"   3272.48mm	70.24	143.34"   3641.42mm	78.21
114.74"   2914.72mm	62.52	129.26"   3283.66mm	70.49	143.78"   3652.60mm	78.45

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

1000lm/pi

Longueur	Wattage	Longueur	Wattage
13.90"   352.42mm	8.64	79.50"   2019.02mm	51.82
17.18"   435.75mm	10.80	82.78"   2102.35mm	53.98
20.46"   519.08mm	12.96	86.06"   2185.68mm	56.14
23.74"   602.41mm	15.12	89.34"   2269.01mm	58.30
27.02"   685.74mm	17.27	92.62"   2352.34mm	60.46
30.30"   769.07mm	19.43	95.90"   2435.67mm	62.62
33.58"   852.40mm	21.59	99.18"   2519mm	64.78
36.86"   935.73mm	23.75	102.46"   2602.33mm	66.94
40.14"   1019.06mm	25.91	105.74"   2685.66mm	69.10
43.42"   1102.39mm	28.07	109.02"   2768.99mm	71.26
46.70"   1185.72mm	30.23	112.30"   2852.32mm	73.42
49.98"   1269.05mm	32.39	115.58"   2935.65mm	75.58
53.26"   1352.38mm	34.55	118.86"   3018.98mm	77.74
56.54"   1435.71mm	36.71	122.14"   3102.31mm	79.90
59.82"   1519.04mm	38.87	125.42"   3185.64mm	82.05
63.10"   1602.37mm	41.03	128.70"   3268.97mm	84.21
66.38"   1685.70mm	43.19	131.98"   3352.30mm	86.37
69.66"   1769.03mm	45.35	135.26"   3435.63mm	88.53
72.94"   1852.36mm	47.51	138.54"   3518.96mm	90.69
76.22"   1935.69mm	49.66	141.82"   3602.29mm	92.85

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.



# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

1150lm/pi

Longueur	Wattage	Longueur	Wattage
12.60"   319.10mm	7.21	79.58"   2019.10mm	48.03
14.57"   369.10mm	8.41	81.55"   2069.10mm	49.23
16.54"   419.10mm	9.61	83.52"   2119.10mm	50.44
18.51"   469.10mm	10.81	85.49"   2169.10mm	51.64
20.48"   519.10mm	12.01	87.46"   2219.10mm	52.84
22.45"   569.10mm	13.21	89.43"   2269.10mm	54.04
24.42"   619.10mm	14.41	91.40"   2319.10mm	55.24
26.39"   669.10mm	15.61	93.37"   2369.10mm	56.44
28.36"   719.10mm	16.81	95.34"   2419.10mm	57.64
30.33"   769.10mm	18.01	97.31"   2469.10mm	58.84
32.30"   819.10mm	19.21	99.28"   2519.10mm	60.04
34.27"   869.10mm	20.41	101.25"   2569.10mm	61.24
36.24"   919.10mm	21.62	103.22"   2619.10mm	62.44
38.21"   969.10mm	22.82	105.19"   2669.10mm	63.65
40.18"   1019.10mm	24.02	107.16"   2719.10mm	64.85
42.15"   1069.10mm	25.22	109.13"   2769.10mm	66.05
44.12"   1119.10mm	26.42	111.10"   2819.10mm	67.25
46.09"   1169.10mm	27.62	113.07"   2869.10mm	68.45
48.06"   1219.10mm	28.82	115.04"   2919.10mm	69.65
50.03"   1269.10mm	30.02	117.01"   2969.10mm	70.85
52"   1319.10mm	31.22	118.98"   3019.10mm	72.05
53.97"   1369.10mm	32.42	120.95"   3069.10mm	73.25
55.94"   1419.10mm	33.62	122.92"   3119.10mm	74.45
57.91"   1469.10mm	34.82	124.89"   3169.10mm	75.65
59.88"   1519.10mm	36.03	126.86"   3219.10mm	76.85
61.85"   1569.10mm	37.23	128.83"   3269.10mm	78.06
63.82"   1619.10mm	38.43	130.80"   3319.10mm	79.26
65.79"   1669.10mm	39.63	132.77"   3369.10mm	80.46
67.76"   1719.10mm	40.83	134.74"   3419.10mm	81.66
69.73"   1769.10mm	42.03	136.71"   3469.10mm	82.86
71.70"   1819.10mm	43.23	138.68"   3519.10mm	84.06
73.67"   1869.10mm	44.43	140.65"   3569.10mm	85.26
75.64"   1919.10mm	45.63	142.62"   3619.10mm	86.46
77.61"   1969.10mm	46.83		

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

1400lm/pi

Longueur	Wattage	Longueur	Wattage	Longueur	Wattage
12.26"   310.72mm	8.40	56.54"   1435.54mm	40.79	100.82"   2560.36mm	73.18
13.90"   352.38mm	9.60	58.18"   1477.20mm	41.99	102.46"   2602.02mm	74.38
15.54"   394.04mm	10.80	59.82"   1518.86mm	43.19	104.10"   2643.68mm	75.58
17.18"   435.70mm	12	61.46"   1560.52mm	44.39	105.74"   2685.34mm	76.78
18.82"   477.36mm	13.20	63.10"   1602.18mm	45.59	107.38"   2727mm	77.98
20.46"   519.02mm	14.40	64.74"   1643.84mm	46.79	109.02"   2768.66mm	79.18
22.10"   560.68mm	15.60	66.38"   1685.50mm	47.99	110.66"   2810.32mm	80.38
23.74"   602.34mm	16.79	68.02"   1727.16mm	49.19	112.30"   2851.98mm	81.58
25.38"   644mm	17.99	69.66"   1768.82mm	50.38	113.94"   2893.64mm	82.77
27.02"   685.66mm	19.19	71.30"   1810.48mm	51.58	115.58"   2935.30mm	83.97
28.66"   727.32mm	20.39	72.94"   1852.14mm	52.78	117.22"   2976.96mm	85.17
30.30"   768.98mm	21.59	74.58"   1893.80mm	53.98	118.86"   3018.62mm	86.37
31.94"   810.64mm	22.79	76.22"   1935.46mm	55.18	120.50"   3060.28mm	87.57
33.58"   852.30mm	23.99	77.86"   1977.12mm	56.38	122.14"   3101.94mm	88.77
35.22"   893.96mm	25.19	79.50"   2018.78mm	57.58	123.78"   3143.60mm	89.97
36.86"   935.62mm	26.39	81.14"   2060.44mm	58.78	125.42"   3185.26mm	91.17
38.50"   977.28mm	27.59	82.78"   2102.10mm	59.98	127.06"   3226.92mm	92.37
40.14"   1018.94mm	28.79	84.42"   2143.76mm	61.18	128.70"   3268.58mm	93.57
41.78"   1060.60mm	29.99	86.06"   2185.42mm	62.38	130.34"   3310.24mm	94.77
43.42"   1102.26mm	31.19	87.70"   2227.08mm	63.58	131.98"   3351.90mm	95.97
45.06"   1143.92mm	32.39	89.34"   2268.74mm	64.78	133.62"   3393.56mm	97.17
46.70"   1185.58mm	33.59	90.98"   2310.40mm	65.98	135.26"   3435.22mm	98.37
48.34"   1227.24mm	34.79	92.62"   2352.06mm	67.18	136.90"   3476.88mm	99.57
49.98"   1268.90mm	35.99	94.26"   2393.72mm	68.38	138.54"   3518.54mm	100.77
51.62"   1310.56mm	37.19	95.90"   2435.38mm	69.58	140.18"   3560.20mm	101.97
53.26"   1352.22mm	38.39	97.54"   2477.04mm	70.78	141.82"   3601.86mm	103.17
54.90"   1393.88mm	39.59	99.18"   2518.70mm	71.98	143.46"   3643.52mm	104.37

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

Dim to Warm 480lm/pi

Longueur	Wattage	Longueur	Wattage
13.08"   331.95mm	5.40	79.50"   2021.34mm	34.55
15.54"   394.52mm	6.48	81.96"   2083.91mm	35.63
18"   457.09mm	7.56	84.42"   2146.48mm	36.71
20.46"   519.66mm	8.64	86.88"   2209.05mm	37.79
22.92"   582.23mm	9.72	89.34"   2271.62mm	38.87
25.38"   644.80mm	10.80	91.80"   2334.19mm	39.95
27.84"   707.37mm	11.88	94.26"   2391.66mm	41.03
30.30"   769.94mm	12.96	96.72"   2459.33mm	42.11
32.76"   832.51mm	14.04	99.18"   2521.90mm	43.19
35.22"   895.08mm	15.12	101.64"   2584.47mm	44.27
37.68"   957.65mm	16.20	104.10"   2647.04mm	45.35
40.14"   1020.22mm	17.27	106.56"   2709.61mm	46.43
42.60"   1082.79mm	18.35	109.02"   2772.18mm	47.51
45.06"   1145.36mm	19.43	111.48"   2834.75mm	48.59
47.52"   1207.93mm	20.51	113.94"   2897.32mm	49.66
49.98"   1270.50mm	21.59	116.40"   2959.89mm	50.74
52.44"   1333.07mm	22.67	118.86"   3022.46mm	51.82
54.90"   1395.64mm	23.75	121.32"   3085.03mm	52.90
57.36"   1458.21mm	24.83	123.78"   3147.60mm	53.98
59.82"   1520.78mm	25.91	126.24"   3210.17mm	55.06
62.28"   1583.35mm	26.99	128.70"   3272.74mm	56.14
64.74"   1645.92mm	28.07	131.16"   3335.31mm	57.22
67.20"   1708.49mm	29.15	133.62"   3397.88mm	58.30
69.66"   1771.06mm	30.23	136.08"   3460.45mm	59.38
72.12"   1833.63mm	31.31	138.54"   3523.02mm	60.46
74.58"   1896.20mm	32.39	141"   3585.59mm	61.54
77.04"   1958.77mm	33.47	143.46"   3648.16mm	62.62

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

Blanc Dynamique 220lm/pi

Longueur	Wattage	Longueur	Wattage
12.60"   319.10mm	3	79.58"   2019.10mm	20.01
14.57"   369.10mm	3.50	81.55"   2069.10mm	20.51
16.54"   419.10mm	4	83.52"   2119.10mm	21.01
18.51"   469.10mm	4.50	85.49"   2169.10mm	21.52
20.48"   519.10mm	5	87.46"   2219.10mm	22.02
22.45"   569.10mm	5.50	89.43"   2269.10mm	22.52
24.42"   619.10mm	6	91.40"   2319.10mm	23.02
26.39"   669.10mm	6.50	93.37"   2369.10mm	23.52
28.36"   719.10mm	7	95.34"   2419.10mm	24.02
30.33"   769.10mm	7.51	97.31"   2469.10mm	24.52
32.30"   819.10mm	8.01	99.28"   2519.10mm	25.02
34.27"   869.10mm	8.51	101.25"   2569.10mm	25.52
36.24"   919.10mm	9.01	103.22"   2619.10mm	26.02
38.21"   969.10mm	9.51	105.19"   2669.10mm	26.52
40.18"   1019.10mm	10.01	107.16"   2719.10mm	27.02
42.15"   1069.10mm	10.51	109.13"   2769.10mm	27.52
44.12"   1119.10mm	11.01	111.10"   2819.10mm	28.02
46.09"   1169.10mm	11.51	113.07"   2869.10mm	28.52
48.06"   1219.10mm	12.01	115.04"   2919.10mm	29.02
50.03"   1269.10mm	12.51	117.01"   2969.10mm	29.52
52"   1319.10mm	13.01	118.98"   3019.10mm	30.02
53.97"   1369.10mm	13.51	120.95"   3069.10mm	30.52
55.94"   1419.10mm	14.01	122.92"   3119.10mm	31.02
57.91"   1469.10mm	14.51	124.89"   3169.10mm	31.52
59.88"   1519.10mm	15.01	126.86"   3219.10mm	32.02
61.85"   1569.10mm	15.51	128.83"   3269.10mm	32.52
63.82"   1619.10mm	16.01	130.80"   3319.10mm	33.02
65.79"   1669.10mm	16.51	132.77"   3369.10mm	33.52
67.76"   1719.10mm	17.01	134.74"   3419.10mm	34.02
69.73"   1769.10mm	17.51	136.71"   3469.10mm	34.52
71.70"   1819.10mm	18.01	138.68"   3519.10mm	35.02
73.67"   1869.10mm	18.51	140.65"   3569.10mm	35.53
75.64"   1919.10mm	19.01	142.62"   3619.10mm	36.03
77.61"   1969.10mm	19.51		

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

Blanc Dynamique 300lm/pi

Longueur	Wattage	Longueur	Wattage
12.60"   319.10mm	4.50	79.58"   2019.10mm	29.27
14.57"   369.10mm	5.25	81.55"   2069.10mm	30.02
16.54"   419.10mm	6	83.52"   2119.10mm	30.77
18.51"   469.10mm	6.75	85.49"   2169.10mm	31.52
20.48"   519.10mm	7.51	87.46"   2219.10mm	32.27
22.45"   569.10mm	8.26	89.43"   2269.10mm	33.02
24.42"   619.10mm	9.01	91.40"   2319.10mm	33.77
26.39"   669.10mm	9.76	93.37"   2369.10mm	34.52
28.36"   719.10mm	10.51	95.34"   2419.10mm	35.28
30.33"   769.10mm	11.26	97.31"   2469.10mm	36.03
32.30"   819.10mm	12.01	99.28"   2519.10mm	36.78
34.27"   869.10mm	12.76	101.25"   2569.10mm	37.53
36.24"   919.10mm	13.51	103.22"   2619.10mm	38.28
38.21"   969.10mm	14.26	105.19"   2669.10mm	39.03
40.18"   1019.10mm	15.01	107.16"   2719.10mm	40.53
42.15"   1069.10mm	15.76	109.13"   2769.10mm	41.28
44.12"   1119.10mm	16.51	111.10"   2819.10mm	42.03
46.09"   1169.10mm	17.26	113.07"   2869.10mm	42.78
48.06"   1219.10mm	18.01	115.04"   2919.10mm	43.53
50.03"   1269.10mm	18.76	117.01"   2969.10mm	44.28
52"   1319.10mm	19.51	118.98"   3019.10mm	45.03
53.97"   1369.10mm	20.26	120.95"   3069.10mm	45.78
55.94"   1419.10mm	21.01	122.92"   3119.10mm	46.53
57.91"   1469.10mm	21.77	124.89"   3169.10mm	47.28
59.88"   1519.10mm	22.52	126.86"   3219.10mm	48.03
61.85"   1569.10mm	23.27	128.83"   3269.10mm	48.78
63.82"   1619.10mm	24.02	130.80"   3319.10mm	49.54
65.79"   1669.10mm	24.77	132.77"   3369.10mm	50.29
67.76"   1719.10mm	25.52	134.74"   3419.10mm	51.04
69.73"   1769.10mm	26.27	136.71"   3469.10mm	51.79
71.70"   1819.10mm	27.02	138.68"   3519.10mm	52.54
73.67"   1869.10mm	27.77	140.65"   3569.10mm	53.29
75.64"   1919.10mm	28.52	142.62"   3619.10mm	54.04
77.61"   1969.10mm	29.27		

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

RGBW 250lm/pi

Longueur	Wattage	Longueur	Wattage
13.08"   331.95mm	4.80	79.50"   2021.34mm	30.71
15.54"   394.52mm	5.76	81.96"   2083.91mm	31.67
18"   457.09mm	6.72	84.42"   2146.48mm	32.63
20.46"   519.66mm	7.68	86.88"   2209.05mm	33.59
22.92"   582.23mm	8.64	89.34"   2271.62mm	34.55
25.38"   644.80mm	9.60	91.80"   2334.19mm	35.51
27.84"   707.37mm	10.56	94.26"   2396.76mm	36.47
30.30"   769.94mm	11.52	96.72"   2459.33mm	37.43
32.76"   832.51mm	12.48	99.18"   2521.90mm	38.39
35.22"   895.08mm	13.44	101.64"   2584.47mm	39.35
37.68"   957.65mm	14.40	104.10"   2647.04mm	40.31
40.14"   1020.22mm	15.36	106.56"   2709.61mm	41.27
42.60"   1082.79mm	16.32	109.02"   2772.18mm	42.23
45.06"   1145.36mm	17.27	111.48"   2834.75mm	43.19
47.52"   1207.93mm	18.23	113.94"   2897.32mm	44.15
49.98"   1270.50mm	19.19	116.40"   2959.89mm	45.11
52.44"   1333.07mm	20.15	118.86"   3022.46mm	46.07
54.90"   1395.64mm	21.11	121.32"   3085.03mm	47.03
57.36"   1458.21mm	22.07	123.78"   3147.60mm	47.99
59.82"   1520.78mm	23.03	126.24"   3210.17mm	48.95
62.28"   1583.35mm	23.99	128.70"   3272.74mm	49.90
64.74"   1645.92mm	24.95	131.16"   3335.31mm	50.86
67.20"   1708.49mm	25.91	133.62"   3397.88mm	51.82
69.66"   1771.06mm	26.87	136.08"   3460.45mm	52.78
72.12"   1833.63mm	27.83	138.54"   3523.02mm	53.74
74.58"   1896.20mm	28.79	141"   3585.59mm	54.70
77.04"   1958.77mm	29.75	143.46"   3648.16mm	55.66

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.

# LONGUEURS ET CONSOMMATION DÉTAILLÉES PAR FLUX LUMINEUX

RGBW 350lm/pi

Longueur	Wattage	Longueur	Wattage
13.08"   331.95mm	7.81	79.50"   2021.34mm	49.98
15.54"   394.52mm	9.37	81.96"   2083.91mm	51.55
18"   457.09mm	10.93	84.42"   2146.48mm	53.11
20.46"   519.66mm	12.50	86.88"   2209.05mm	54.67
22.92"   582.23mm	14.06	89.34"   2271.62mm	56.23
25.38"   644.80mm	15.62	91.80"   2334.19mm	57.79
27.84"   707.37mm	17.18	94.26"   2396.76mm	59.36
30.30"   769.94mm	18.74	96.72"   2459.33mm	60.92
32.76"   832.51mm	20.31	99.18"   2521.90mm	62.48
35.22"   895.08mm	21.87	101.64"   2584.47mm	64.04
37.68"   957.65mm	23.43	104.10"   2647.04mm	65.60
40.14"   1020.22mm	24.99	106.56"   2709.61mm	67.17
42.60"   1082.79mm	26.55	109.02"   2772.18mm	68.73
45.06"   1145.36mm	28.12	111.48"   2834.75mm	70.29
47.52"   1207.93mm	29.68	113.94"   2897.32mm	71.85
49.98"   1270.50mm	31.24	116.40"   2959.89mm	73.42
52.44"   1333.07mm	32.80	118.86"   3022.46mm	74.98
54.90"   1395.64mm	34.36	121.32"   3085.03mm	76.54
57.36"   1458.21mm	35.93	123.78"   3147.60mm	78.10
59.82"   1520.78mm	37.49	126.24"   3210.17mm	79.66
62.28"   1583.35mm	39.05	128.70"   3272.74mm	81.23
64.74"   1645.92mm	40.61	131.16"   3335.31mm	82.79
67.20"   1708.49mm	42.17	133.62"   3397.88mm	84.35
69.66"   1771.06mm	43.74	136.08"   3460.45mm	85.91
72.12"   1833.63mm	45.30	138.54"   3523.02mm	87.47
74.58"   1896.20mm	46.86	141"   3585.59mm	89.04
77.04"   1958.77mm	48.42	143.46"   3648.16mm	90.60

Si une Sortie Électrique est requise, ajoutez 0.50" | 12.50mm aux longueurs.  
Les mesures finales actuelles pourraient varier légèrement selon les embouts.